



尺寸标示及公差标准表



<http://www.weifengshiye.com>

内径 (ID)		公差 (±)		线径 (C/S)		公差 (±)	
0	—	1.79	0.10	0	—	1.79	0.07
1.80	—	6.29	0.13	1.80	—	2.64	0.08
6.30	—	10.59	0.14	2.65	—	3.54	0.09
10.60	—	18.99	0.17	3.55	—	5.29	0.10
19.00	—	31.49	0.22	5.30	—	6.99	0.13
31.50	—	41.19	0.30	7.00	—	8.00	0.15
41.20	—	51.49	0.36	8.01	—	10.00	0.20
51.50	—	64.99	0.44	10.01	—	15.00	0.25
65.00	—	82.49	0.53	15.01	—	25.00	0.35
82.50	—	121.99	0.65	25.01	—	100.00	0.45
122.00	—	184.99	0.90				
185.00	—	257.99	1.20				
258.00	—	324.99	1.60				
325.00	—	411.99	2.10				
412.00	—	514.99	2.60				
515.00	—	649.99	3.20				
650.00	—	670.00	4.00				
670.01	—	999.00	5.00				
999.01	—	1200.00	6.00				

O型圈 O-Ring



代碼	內徑	線徑
M	0.50	0.50
M	0.50	1.00
M	0.60	0.50
M	0.70	0.50
A-001	0.74	1.02
M	0.80	0.50
M	0.80	1.00
M	1.00	0.50
M	1.00	1.00
M	1.00	2.00
A-002	1.07	1.27
A-102	1.24	2.62
A-003	1.42	1.53
M	1.50	0.50
M	1.50	1.00
M	1.50	1.50
M	1.50	2.00
A-004	1.78	1.78
C92	1.80	1.80
M	2.00	0.50
M	2.00	1.00
M	2.00	1.50
C92	2.00	1.80
M	2.00	2.00
A-103	2.06	2.62
C92	2.24	1.80
R-0	2.40	1.90
M	2.50	0.50
M	2.50	1.00
M	2.50	1.50
S3	2.50	1.50
C92	2.50	1.80
A-005	2.57	1.78
R-1	2.60	1.90
C92	2.80	1.80
P3	2.80	1.90
A-104	2.84	2.62
A-006	2.90	1.78
B-1	2.90	1.78
M	3.00	0.50

代碼	內徑	線徑
M	3.00	1.00
M	3.00	1.50
M	3.00	2.00
M	3.00	3.00
C92	3.15	1.80
R-2	3.40	1.90
M	3.50	1.00
M	3.50	1.50
S4	3.50	1.50
M	3.50	2.00
C92	3.55	1.80
A-105	3.63	2.62
A-007	3.68	1.78
B-2	3.68	1.78
C92	3.75	1.80
P4	3.80	1.90
M	4.00	0.50
M	4.00	1.00
M	4.00	1.50
C92	4.00	1.80
M	4.00	2.00
M	4.00	2.50
M	4.00	3.00
M	4.00	4.00
R-3	4.20	1.90
A-201	4.34	3.53
A-106	4.42	2.62
A-008	4.47	1.78
B-3	4.47	1.78
M	4.50	1.00
M	4.50	1.50
S5	4.50	1.50
C92	4.50	1.80
M	4.50	2.00
A-901	4.70	1.42
P5	4.80	1.90
C92	4.87	1.80
R-4	4.90	1.90
M	5.00	0.50
M	5.00	1.00

代碼	內徑	線徑
M	5.00	1.50
C92	5.00	1.80
M	5.00	2.00
M	5.00	2.50
M	5.00	3.00
M	5.00	5.00
C92	5.15	1.80
A-107	5.23	2.62
A-009	5.28	1.78
B-4	5.28	1.78
C92	5.30	1.80
M	5.50	1.50
S6	5.50	1.50
C92	5.60	1.80
R-5	5.70	1.90
P6	5.80	1.90
A-202	5.94	3.53
M	6.00	1.00
M	6.00	1.50
C92	6.00	1.80
M	6.00	2.00
M	6.00	2.50
M	6.00	3.00
M	6.00	5.00
M	6.00	6.00
A-108	6.02	2.62
A-902	6.07	1.63
A-010	6.07	1.78
B-5	6.07	1.78
C92	6.30	1.80
R-05a	6.40	1.90
M	6.50	1.00
M	6.50	1.50
S7	6.50	1.50
M	6.50	2.00
M	6.50	3.00
C92	6.70	1.80
P7	6.80	1.90
C92	6.90	1.80
M	7.00	0.50

代碼	內徑	線徑
M	7.00	1.00
M	7.00	1.50
M	7.00	2.00
M	7.00	2.50
M	7.00	3.00
C92	7.10	1.80
C92	7.10	2.65
R-6	7.20	1.90
S8	7.50	1.50
C92	7.50	1.80
M	7.50	2.00
M	7.50	2.50
C92	7.50	2.65
A-203	7.52	3.53
A-109	7.60	2.62
A-903	7.65	1.63
A-011	7.65	1.78
M	7.65	1.78
P8	7.80	1.90
M	8.00	0.50
M	8.00	1.00
M	8.00	1.50
C92	8.00	1.80
R-06a	8.00	1.90
M	8.00	2.00
M	8.00	2.50
C92	8.00	2.65
M	8.00	3.00
M	8.00	4.00
M	8.00	5.00
M	8.50	0.50
M	8.50	1.00
M	8.50	1.50
S9	8.50	1.50
S92	8.50	1.80
M	8.50	2.00
M	8.50	2.50
C92	8.50	2.65
C92	8.75	1.80
C92	8.75	2.65

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G=日標 EKM=EK公制尺寸 R=法標R



代碼	內徑	綫徑
P9	8.80	1.90
R-7	8.90	1.90
R-8	8.90	2.70
A-904	8.92	1.83
M	9.00	0.50
M	9.00	1.00
M	9.00	1.50
C92	9.00	1.80
M	9.00	2.00
M	9.00	2.50
C92	9.00	2.65
M	9.00	3.00
M	9.00	4.00
M	9.00	4.50
A-204	9.12	3.53
A-110	9.19	2.62
B-8	9.19	2.62
A-012	9.25	1.78
B-7	9.25	1.78
M	9.50	1.00
S10	9.50	1.50
C92	9.50	1.80
M	9.50	2.00
C92	9.50	2.65
P10	9.80	1.90
P10A	9.80	2.40
M	10.00	1.00
M	10.00	1.50
C92	10.00	1.80
M	10.00	2.00
M	10.00	2.50
C92	10.00	2.65
M	10.00	3.00
M	10.00	4.00
M	10.00	5.00
A-309	10.46	5.33
M	10.50	1.50
R-9	10.50	2.70
A-905	10.52	1.83
C92	10.60	1.80

代碼	內徑	綫徑
C92	10.60	2.65
A-205	10.69	3.53
S11.2	10.70	1.50
A-111	10.77	2.62
B-9	10.77	2.62
P11	10.80	2.40
A-013	10.82	1.78
M	11.00	1.00
M	11.00	1.50
M	11.00	2.00
P11.2	11.00	2.40
M	11.00	2.50
M	11.00	3.00
M	11.00	4.00
C92	11.20	1.80
C92	11.20	2.65
M	11.50	1.50
S12.5	11.50	1.50
M	11.50	2.00
M	11.50	2.50
M	11.50	3.00
C92	11.80	1.80
P12	11.80	2.40
C92	11.80	2.65
A-906	11.89	1.98
M	12.00	1.00
M	12.00	1.50
S13	12.00	1.50
M	12.00	2.00
M	12.00	2.50
M	12.00	3.00
M	12.00	3.50
M	12.00	4.00
M	12.00	5.00
A-310	12.07	5.33
R-10	12.10	2.70
A-206	12.29	3.53
P12.5	12.30	2.40
A-112	12.37	2.62
B-10	12.37	2.62

代碼	內徑	綫徑
A-014	12.42	1.78
M	12.50	1.50
C92	12.50	1.80
M	12.50	2.00
M	12.50	2.50
C92	12.50	2.65
M	13.00	1.00
M	13.00	1.50
M	13.00	2.00
M	13.00	2.50
M	13.00	3.00
C92	13.20	1.80
C92	13.20	2.65
A-907	13.47	2.08
S14	13.50	1.50
R-11	13.60	2.70
A-311	13.64	5.33
P14	13.80	2.40
A-207	13.87	3.53
A-113	13.94	2.62
B-11	13.94	2.62
M	14.00	1.00
M	14.00	1.50
A-015	14.00	1.78
C92	14.00	1.80
M	14.00	2.00
M	14.00	2.50
C92	14.00	2.65
M	14.00	3.00
M	14.00	4.00
M	14.50	0.40
M	14.50	0.50
M	14.50	0.60
M	14.50	0.70
M	14.50	0.80
S15	14.50	1.50
V15	14.50	4.00
P15	14.80	2.40
M	15.00	0.40
M	15.00	0.50

代碼	內徑	綫徑
M	15.00	0.60
M	15.00	0.70
M	15.00	0.80
M	15.00	1.00
M	15.00	1.50
C92	15.00	1.80
M	15.00	2.00
M	15.00	2.50
C92	15.00	2.65
M	15.00	3.00
M	15.00	3.50
M	15.00	4.00
M	15.00	5.00
R-12	15.10	2.70
A-312	15.24	5.33
A-208	15.47	3.53
M	15.50	0.40
M	15.50	0.50
M	15.50	0.60
M	15.50	0.70
M	15.50	0.80
S16	15.50	1.50
A-114	15.54	2.62
B-12	15.54	2.62
A-016	15.60	1.78
P16	15.80	2.40
M	16.00	0.40
M	16.00	0.50
M	16.00	0.60
M	16.00	0.70
M	16.00	0.80
M	16.00	1.00
M	16.00	1.50
C92	16.00	1.80
M	16.00	2.00
M	16.00	2.50
C92	16.00	2.65
M	16.00	3.00
M	16.00	4.00
M	16.00	4.50

O型圈 O-Ring



代碼	內徑	綫徑
M	16.00	5.00
A-908	16.36	2.21
M	16.50	0.40
M	16.50	0.50
M	16.50	0.60
M	16.50	0.70
M	16.50	0.80
A-313	16.81	5.33
R-13	16.90	2.70
M	17.00	0.40
M	17.00	0.50
M	17.00	0.60
M	17.00	0.70
M	17.00	0.80
M	17.00	1.00
M	17.00	1.50
C92	17.00	1.80
M	17.00	2.00
M	17.00	2.50
C92	17.00	2.65
M	17.00	4.00
A-209	17.04	3.53
A-115	17.12	2.62
B-13	17.12	2.62
A-909	17.17	1.78
M	17.50	0.40
M	17.50	0.50
M	17.50	0.60
M	17.50	0.70
M	17.50	0.80
S18	17.50	1.50
M	17.50	2.00
P18	17.80	2.40
A-909	17.94	2.46
M	18.00	0.40
M	18.00	0.50
M	18.00	0.60
M	18.00	0.70
M	18.00	0.80
M	18.00	1.00

代碼	內徑	綫徑
M	18.00	1.50
S92	18.00	1.80
M	18.00	2.00
M	18.00	2.50
C92	18.00	2.65
M	18.00	3.00
M	18.00	3.50
C92	18.00	3.55
M	18.00	5.00
M	18.00	6.00
R-15	18.30	3.60
R-14	18.40	2.70
A-314	18.42	5.33
M	18.50	0.40
M	18.50	0.50
M	18.50	0.60
M	18.50	0.70
M	18.50	0.80
A-210	18.64	3.53
B-15	18.64	3.53
A-116	18.72	2.62
B-14	18.72	2.62
A-018	18.77	1.78
M	19.00	0.40
M	19.00	0.50
M	19.00	0.60
M	19.00	0.70
M	19.00	0.80
M	19.00	1.00
M	19.00	1.50
C92	19.00	1.80
M	19.00	2.00
M	19.00	2.50
C92	19.00	2.65
M	19.00	3.00
C92	19.00	3.55
M	19.00	4.00
A-910	19.18	2.46
G20	19.40	3.10
M	19.50	0.40

代碼	內徑	綫徑
M	19.50	0.50
M	19.50	0.60
M	19.50	0.70
M	19.50	0.80
S20	19.50	1.50
P20	19.80	2.40
R-16	19.80	3.60
A-315	19.99	5.33
M	20.00	0.40
M	20.00	0.50
M	20.00	0.60
M	20.00	0.70
M	20.00	0.80
M	20.00	1.00
M	20.00	1.50
C92	20.00	1.80
M	20.00	2.00
M	20.00	2.50
C92	20.00	2.65
M	20.00	3.00
C92	20.00	3.55
M	20.00	4.00
M	20.00	4.50
M	20.00	6.00
A-211	20.22	3.53
B-16	20.22	3.53
A-117	20.29	2.62
A-019	20.35	1.78
M	20.50	0.40
M	20.50	0.50
M	20.50	0.60
M	20.50	0.70
M	20.50	0.80
P21	20.80	2.40
M	21.00	0.40
M	21.00	0.50
M	21.00	0.60
M	21.00	0.70
M	21.00	0.80
M	21.00	1.00

代碼	內徑	綫徑
M	21.00	1.50
M	21.00	2.00
M	21.00	2.50
M	21.00	3.00
M	21.00	3.50
M	21.00	4.00
C92	21.20	1.80
C92	21.20	2.65
C92	21.20	3.55
R-17	21.30	3.60
M	21.50	0.40
M	21.50	0.50
M	21.50	0.60
M	21.50	0.70
M	21.50	0.80
S22	21.50	1.50
A-316	21.59	5.33
P22A	21.70	3.50
P22	21.80	2.40
G22	21.80	3.10
A-212	21.82	3.53
B-17	21.82	3.53
A-118	21.89	2.62
S22.4	21.90	2.00
A-911	21.92	2.95
A-020	21.95	1.78
M	22.00	0.40
M	22.00	0.50
M	22.00	0.60
M	22.00	0.70
M	22.00	0.80
M	22.00	1.00
M	22.00	1.50
M	22.00	2.00
M	22.00	2.50
M	22.00	3.00
M	22.00	4.00
M	22.00	5.00
P22.4	22.10	3.50
C92	22.40	1.80

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G=日標 EKM=EK公制尺寸 R=法標R


代碼	內徑	綫徑
C92	22.40	2.65
C92	22.40	3.55
M	22.50	0.40
M	22.50	0.50
M	22.50	0.60
M	22.50	0.70
M	22.50	0.80
M	23.00	0.40
M	23.00	0.50
M	23.00	0.60
M	23.00	0.70
M	23.00	0.80
M	23.00	1.00
M	23.00	1.50
M	23.00	2.00
M	23.00	2.50
M	23.00	3.00
R-18	23.00	3.60
M	23.00	4.00
M	23.00	5.00
A-317	23.16	5.33
A-213	23.39	3.53
B-18	23.39	3.53
A-119	23.47	2.62
A-912	23.47	2.95
M	23.50	0.40
M	23.50	0.50
M	23.50	0.60
M	23.50	0.70
M	23.50	0.80
S24	23.50	2.00
V24	23.50	4.00
A-021	23.52	1.78
C92	23.60	1.80
C92	23.60	2.65
C92	23.60	3.55
P24	23.70	3.50
M	24.00	0.40
M	24.00	0.50
M	24.00	0.60

代碼	內徑	綫徑
M	24.00	0.70
M	24.00	0.80
M	24.00	1.00
M	24.00	1.50
M	24.00	2.00
M	24.00	2.50
M	24.00	3.00
M	24.00	3.50
M	24.00	4.00
M	24.00	5.50
G25	24.40	3.10
M	24.50	0.40
M	24.50	0.50
M	24.50	0.60
M	24.50	0.70
M	24.50	0.80
S25	24.50	2.00
R-19	24.60	3.60
P25	24.70	3.50
A-318	24.77	5.33
B-19	24.99	3.53
M	25.00	0.40
M	25.00	0.50
M	25.00	0.60
M	25.00	0.70
M	25.00	0.80
M	25.00	1.50
C92	25.00	1.80
M	25.00	2.00
M	25.00	2.50
C92	25.00	2.65
M	25.00	3.00
A-214	25.00	3.53
C92	25.00	3.55
M	25.00	4.00
M	25.00	5.00
M	25.00	6.00
A-913	25.04	2.95
A-120	25.07	2.62
A-022	25.12	1.78

代碼	內徑	綫徑
P25.5	25.20	3.50
M	25.50	0.40
M	25.50	0.50
M	25.50	0.60
M	25.50	0.70
M	25.50	0.80
S26	25.50	2.00
P26	25.70	3.50
C92	25.80	1.80
C92	25.80	2.65
C92	25.80	3.55
M	26.00	0.40
M	26.00	0.50
M	26.00	0.60
M	26.00	0.70
M	26.00	0.80
M	26.00	1.00
M	26.00	1.50
M	26.00	2.00
M	26.00	2.50
M	26.00	3.00
M	26.00	3.50
M	26.00	4.00
M	26.00	5.00
R-20	26.20	3.60
A-319	26.34	5.33
M	26.50	0.40
M	26.50	0.50
M	26.50	0.60
M	26.50	0.70
M	26.50	0.80
C92	26.50	1.80
C92	26.50	2.65
C92	26.50	3.55
A-215	26.57	3.53
B-20	26.57	3.53
A-914	26.60	2.95
A-121	26.64	2.62
A-023	26.70	1.78
M	27.00	0.40

代碼	內徑	綫徑
M	27.00	0.50
M	27.00	0.60
M	27.00	0.70
M	27.00	0.80
M	27.00	1.50
M	27.00	2.00
M	27.00	2.50
M	27.00	3.00
M	27.00	4.00
M	27.00	5.00
M	27.50	0.40
M	27.50	0.50
M	27.50	0.60
M	27.50	0.70
M	27.50	0.80
S28	27.50	2.00
P28	27.70	3.50
R-21	27.80	3.60
A-320	27.94	5.33
M	28.00	0.40
M	28.00	0.50
M	28.00	0.60
M	28.00	0.70
M	28.00	0.80
M	28.00	1.00
M	28.00	1.50
C92	28.00	1.80
M	28.00	2.00
M	28.00	2.50
C92	28.00	2.65
M	28.00	3.00
C92	28.00	3.55
M	28.00	4.00
M	28.00	5.00
A-216	28.17	3.53
B-21	28.17	3.53
A-122	28.24	2.62
A-204	28.30	1.78
M	28.50	0.40
M	28.50	0.50

O型圈 O-Ring



代碼	內徑	綫徑
M	28.50	0.60
M	28.50	0.70
M	28.50	0.80
S29	28.50	2.00
P29	28.70	3.50
M	29.00	0.40
M	29.00	0.50
M	29.00	0.60
M	29.00	0.70
M	29.00	0.80
M	29.00	2.50
M	29.00	5.00
P29.5	29.20	3.50
R-22	29.30	3.60
G30	29.40	3.10
M	29.50	0.40
M	29.50	0.50
M	29.50	0.60
M	29.50	0.70
M	29.50	0.80
S30	29.50	2.00
A-321	29.51	5.33
P30	29.70	3.50
A-916	29.74	2.95
A-217	29.74	3.53
B-22	29.74	3.53
A-123	29.82	2.62
A-025	29.87	1.78
M	30.00	0.40
M	30.00	0.50
M	30.00	0.60
M	30.00	0.70
M	30.00	0.80
M	30.00	1.00
M	30.00	1.50
C92	30.00	1.80
M	30.00	2.00
M	30.00	2.50
C92	30.00	2.65
M	30.00	3.00

代碼	內徑	綫徑
C92	30.00	3.55
M	30.00	4.00
M	30.00	5.00
M	30.00	6.00
M	30.50	0.40
M	30.50	0.50
M	30.50	0.60
M	30.50	0.70
M	30.50	0.80
P31	30.70	3.50
R-23	30.80	3.60
M	31.00	0.40
M	31.00	0.50
M	31.00	0.60
M	31.00	0.70
M	31.00	0.80
M	31.00	2.00
S31.5	31.00	2.00
M	31.00	2.50
M	31.00	3.00
A-322	31.12	5.33
P31.5	31.20	3.50
A-218	31.34	3.53
B-23	31.34	3.53
A-124	31.42	2.62
A-026	31.47	1.78
M	31.50	0.40
M	31.50	0.50
M	31.50	0.60
M	31.50	0.70
M	31.50	0.80
C92	31.50	1.80
S32	31.50	2.00
C92	31.50	2.65
C92	31.50	3.55
P32	31.70	3.50
M	32.00	0.40
M	32.00	0.50
M	32.00	0.60
M	32.00	0.70

代碼	內徑	綫徑
M	32.00	0.80
M	32.00	1.50
M	32.00	2.00
M	32.00	2.50
M	32.00	3.00
M	32.00	4.00
M	32.00	5.00
C92	32.50	1.80
C92	32.50	2.65
C92	32.50	3.55
R-24	32.50	3.60
A-323	32.69	5.33
A-219	32.92	3.53
B-24	32.92	3.53
A-125	32.99	2.62
M	33.00	1.50
M	33.00	2.00
M	33.00	2.50
M	33.00	3.00
A-027	33.05	1.78
C92	33.50	1.80
S34	33.50	2.00
C92	33.50	2.65
C92	33.50	3.55
V34	33.50	4.00
P34	33.70	3.50
M	34.00	2.00
M	34.00	4.00
R-25	34.10	3.60
A-324	34.29	5.33
G35	34.40	3.10
A-918	34.42	2.95
C92	34.50	1.80
S35	34.50	2.00
C92	34.50	2.65
C92	34.50	3.55
V36	34.50	4.00
A-220	34.52	3.53
B-25	34.52	3.53
A-126	34.59	2.62

代碼	內徑	綫徑
A-028	34.65	1.78
P35	34.70	3.50
M	35.00	1.50
M	35.00	2.00
S35.5	35.00	2.00
M	35.00	2.50
M	35.00	3.00
M	35.00	4.00
M	35.00	5.00
P35.5	35.20	3.50
C92	35.50	1.80
S36	35.50	2.00
C92	35.50	2.65
C92	35.50	3.55
R-26	35.60	3.60
P36	35.70	3.50
M	36.00	1.50
M	36.00	2.00
M	36.00	2.50
M	36.00	3.00
M	36.00	4.00
M	36.00	5.00
A-221	36.09	3.53
B-26	36.09	3.53
A-127	36.17	2.62
C92	36.50	1.80
C92	36.50	2.65
C92	36.50	3.55
M	37.00	2.00
M	37.00	2.50
M	37.00	3.00
M	37.00	4.00
R-27	37.30	3.60
A-920	37.46	3.00
B-28	37.46	5.33
A-325	37.47	5.33
R-28	37.47	5.33
A-401	37.47	6.99
C92	37.50	1.80
S38	37.50	2.00

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G=日標 EKM=EK公制尺寸 R=法標R



代碼	內徑	線徑
C92	37.50	2.65
C92	37.50	3.55
A-222	37.69	3.53
B-27	37.69	3.53
P38	37.70	3.50
A-128	37.77	2.62
A-029	37.82	1.78
m	38.00	2.00
M	38.00	2.50
M	38.00	3.00
M	38.00	4.00
M	38.00	4.50
M	38.00	7.00
S92	38.50	2.00
C92	38.70	1.80
C92	38.70	2.65
P39	38.70	3.50
C92	38.70	3.55
M	39.00	2.00
M	39.00	2.50
M	39.00	3.00
A-129	39.34	2.62
G40	39.40	3.10
S40	39.50	2.00
V40	39.50	4.00
P40	39.70	3.50
C92	40.00	1.80
M	40.00	2.00
M	40.00	2.50
C92	40.00	2.65
M	40.00	3.00
M	40.00	3.50
C92	40.00	3.55
M	40.00	4.00
M	40.00	5.00
C92	40.00	5.30
M	40.00	5.50
M	40.00	6.00
A-326	40.64	5.33
B-29	40.64	5.33

代碼	內徑	線徑
R-29	40.64	5.33
A-402	40.64	6.99
P41	40.70	3.50
A-223	40.87	3.53
A-130	40.94	2.62
A-030	41.00	1.78
M	41.00	3.00
M	41.00	4.00
C92	41.20	1.80
C92	41.20	2.65
C92	41.20	3.55
C92	41.20	5.30
S42	41.50	2.00
P42	41.70	3.50
M	42.00	1.00
M	42.00	2.00
M	42.00	2.65
M	42.00	3.00
M	42.00	3.50
M	42.00	4.00
M	42.00	5.00
C92	42.50	1.80
C92	42.50	2.65
C92	42.50	3.55
C92	42.50	5.30
A-131	42.52	2.62
M	43.00	2.00
M	43.00	2.50
M	43.00	3.00
M	43.00	3.50
S44	43.50	2.00
A-924	43.68	3.00
C92	43.70	1.80
C92	43.70	2.65
P44	43.70	3.50
C92	43.70	3.55
C92	43.70	5.30
A-327	43.82	5.33
B-30	43.82	5.33
R-30	43.82	5.33

代碼	內徑	線徑
A-403	43.82	6.99
M	44.00	2.00
M	44.00	2.50
M	44.00	3.00
M	44.00	4.00
M	44.00	5.00
A-224	44.04	3.53
A-132	44.12	2.62
A-031	44.17	1.78
G45	44.40	3.10
S45	44.50	2.00
P45	44.70	3.50
M	45.00	1.50
C92	45.00	1.80
M	45.00	2.00
M	45.00	2.50
C92	45.00	2.65
M	45.00	3.00
M	45.00	3.50
C92	45.00	3.55
M	45.00	4.00
M	45.00	4.50
M	45.00	5.00
C92	45.00	5.30
M	45.00	5.50
C46	45.50	2.00
A-133	45.69	2.62
P46	45.70	3.50
M	46.00	2.00
M	46.00	2.50
M	46.00	3.00
M	46.00	3.50
M	46.00	4.00
M	46.00	5.00
C92	46.20	1.80
C92	46.20	2.65
C92	46.20	3.55
C92	46.20	5.30
A-328	46.99	5.33
B-31	46.99	5.33

代碼	內徑	線徑
A-404	46.99	6.99
M	47.00	2.50
M	47.00	3.00
M	47.00	4.00
M	47.00	5.00
R-31	47.00	5.33
A-225	47.22	3.53
A-134	47.29	2.62
A-032	47.35	1.78
C92	47.50	1.80
S48	47.50	2.00
C92	47.50	2.62
C92	47.50	3.55
C92	47.50	5.30
P48A	47.60	5.70
P48	47.70	3.50
M	48.00	2.00
M	48.00	2.50
M	48.00	3.00
M	48.00	4.00
M	48.00	5.00
M	48.00	6.00
C92	48.70	1.80
C92	48.70	2.62
P49	48.70	3.50
C92	48.70	3.55
C92	48.70	5.30
A-135	48.90	2.62
M	49.00	2.50
M	49.00	3.00
M	49.00	3.50
G50	49.40	3.10
S50	49.50	2.00
M	49.50	3.00
P50A	49.60	5.70
P50	49.70	3.50
內徑50mm以上		
C92	50.00	1.80
M	50.00	2.00

O型圈 O-Ring



代碼	內徑	綫徑
M	50.00	2.50
C92	50.00	2.65
M	50.00	3.00
C92	50.00	3.55
M	50.00	4.00
M	50.00	4.50
M	50.00	5.00
C92	50.00	5.30
M	50.00	6.00
B-32	50.16	5.33
R-32	50.16	5.33
A-405	50.16	6.99
A-329	50.17	5.33
A-226	50.39	3.53
A-136	50.47	2.62
A-033	50.52	1.78
M	51.00	2.50
M	51.00	3.00
C92	51.50	2.65
C92	51.50	3.55
C92	51.50	5.30
P52	51.60	5.70
M	52.00	1.50
M	52.00	2.00
M	52.00	3.00
M	52.00	3.50
M	52.00	4.00
M	52.00	5.00
A-137	52.07	2.62
S53	52.50	2.00
P53	52.60	5.70
M	53.00	1.50
M	53.00	2.00
M	53.00	2.50
C92	53.00	2.65
M	53.00	3.00
C92	53.00	3.55
M	53.00	5.00
C92	53.00	5.30
M	53.00	6.00

代碼	內徑	綫徑
A-928	53.09	3.00
A-330	53.34	5.33
B-33	53.34	5.33
R-33	53.34	5.33
A-406	53.34	6.99
A-227	53.57	3.53
A-138	53.64	2.62
A-034	53.70	1.78
M	54.00	2.50
M	54.00	3.00
M	54.00	4.00
M	54.00	5.00
G55	54.40	3.10
S55	54.50	2.00
C92	54.50	2.65
C92	54.50	3.55
V55	54.50	4.00
C92	54.50	5.30
P55	54.50	5.70
M	55.00	2.00
M	55.00	2.50
M	55.00	3.00
M	55.00	3.50
M	55.00	4.00
M	55.00	5.00
M	55.00	6.00
A-139	55.25	2.62
S56	55.50	2.00
P56	55.60	5.70
M	56.00	2.00
C92	56.00	2.65
M	56.00	3.00
C92	56.00	3.55
M	56.00	4.00
C92	56.00	5.30
A-331	56.52	5.33
B-34	56.52	5.33
R-34	56.52	5.33
A-407	56.52	6.99
A-228	56.74	3.53

代碼	內徑	綫徑
A-140	56.82	2.62
A-035	56.87	1.78
M	57.00	1.50
M	57.00	2.00
M	57.00	2.50
M	57.00	3.00
M	57.00	4.00
M	57.00	5.00
P58	57.60	5.70
M	58.00	2.00
M	58.00	2.50
C92	58.00	2.65
M	58.00	3.00
C92	58.00	3.55
M	58.00	4.00
M	58.00	5.00
C92	58.00	5.30
A-141	58.42	2.62
M	59.00	3.00
A-932	59.36	3.00
G60	59.40	3.10
S60	59.50	2.00
P60	59.60	5.70
A-332	59.69	5.33
B-35	59.69	5.34
R-35	59.69	5.34
A-408	59.69	6.99
A-229	59.92	3.53
A-142	59.99	2.62
M	60.00	1.50
M	60.00	2.00
M	60.00	2.50
C92	60.00	2.65
M	60.00	3.00
M	60.00	3.50
C92	60.00	3.55
M	60.00	4.00
M	60.00	4.50
M	60.00	5.00
C92	60.00	5.30

代碼	內徑	綫徑
M	60.00	7.00
A-036	60.05	1.78
C92	61.50	2.65
C92	61.50	3.55
C92	61.50	5.30
A-143	61.60	2.62
P62	61.60	5.70
M	62.00	2.00
M	62.00	2.50
M	62.00	3.00
M	62.00	4.00
M	62.00	5.00
M	62.00	6.00
S63	62.50	2.00
P63	62.60	5.70
A-333	62.87	5.33
B-36	62.87	5.33
R-36	62.87	5.33
A-409	62.87	6.99
M	63.00	2.00
M	63.00	2.50
C92	63.00	2.65
M	63.00	3.00
C92	63.00	3.55
C92	63.00	5.30
A-230	63.09	3.53
A-144	63.17	2.62
A-037	63.22	1.78
M	64.00	3.00
M	64.00	3.50
M	64.00	4.00
M	64.00	5.00
G65	64.40	3.10
S65	64.50	2.00
P65	64.60	5.70
A-145	64.77	2.62
M	65.00	1.50
C92	65.00	1.80
M	65.00	2.00
M	65.00	2.50

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G=日標 EKM=EK公制尺寸 R=法標R



代碼	內徑	綫徑
C92	65.00	2.65
M	65.00	3.00
M	65.00	3.50
C92	65.00	3.55
M	65.00	4.00
M	65.00	4.50
M	65.00	5.00
C92	65.00	5.30
M	66.00	2.00
M	66.00	3.00
A-334	66.04	5.33
B-37	66.04	5.33
R-37	66.04	5.33
A-410	66.04	6.99
A-231	66.27	3.53
A-146	66.34	2.62
A-038	66.40	1.78
S67	66.50	2.00
P67	66.60	5.70
M	67.00	1.50
M	67.00	2.00
M	67.00	2.50
C92	67.00	2.65
M	67.00	3.00
C92	67.00	3.55
M	67.00	4.00
C92	67.00	5.30
A-147	67.95	2.62
M	68.00	2.00
M	68.00	3.00
M	68.00	4.00
M	68.00	5.00
M	68.00	7.00
C92	69.00	2.65
M	69.00	3.00
C92	69.00	3.55
V70	69.00	4.00
C92	69.00	5.30
A-335	69.22	5.33
B-38	69.22	5.33

代碼	內徑	綫徑
R-38	69.22	5.33
A-411	69.22	6.99
G70	69.40	3.10
A-232	69.44	3.53
S70	69.50	2.00
A-148	69.52	2.62
A-039	69.57	1.78
P70	69.60	5.70
M	70.00	2.00
M	70.00	2.50
M	70.00	3.00
M	70.00	4.00
M	70.00	4.50
M	70.00	5.00
M	70.00	8.00
S71	70.50	2.00
P71	70.60	5.70
C92	71.00	2.65
M	71.00	3.00
C92	71.00	3.55
C92	71.00	5.30
A-149	71.12	2.62
M	72.00	1.50
M	72.00	2.00
M	72.00	2.50
M	72.00	3.00
M	72.00	4.00
M	72.00	5.00
A-336	72.39	5.33
B-39	72.39	5.33
R-39	72.39	5.33
A-412	72.39	6.99
A-233	72.62	3.53
A-150	72.69	2.62
A-040	72.75	1.78
M	73.00	2.50
C92	73.00	2.65
M	73.00	3.00
C92	73.00	3.55
M	73.00	5.00

代碼	內徑	綫徑
C92	73.00	5.30
M	74.00	2.00
M	74.00	3.00
M	74.00	4.00
C92	74.40	2.65
G75	74.40	3.10
S75	74.50	2.00
P75	74.60	5.70
M	75.00	2.50
C92	75.00	2.65
M	75.00	3.00
M	75.00	3.50
C92	75.00	3.55
M	75.00	4.00
M	75.00	5.00
C92	75.00	5.30
M	75.00	6.00
A-337	75.57	5.33
B-40	75.57	5.33
R-40	75.57	5.33
A-413	75.57	6.99
A-234	75.59	3.53
A-151	75.87	2.62
A-041	75.92	1.78
M	76.00	2.00
M	76.00	2.50
M	76.00	3.00
M	76.00	4.00
M	76.00	4.50
C92	77.50	3.55
C92	77.50	5.30
M	78.00	2.00
M	78.00	3.00
M	78.00	4.00
M	78.00	5.00
A-338	78.74	5.33
B-41	78.74	5.33
R-41	78.84	5.33
A-414	78.74	6.99
A-235	78.97	3.53

代碼	內徑	綫徑
M	79.00	3.00
M	79.00	7.00
G80	79.40	3.10
S80	79.50	2.00
M	79.50	3.00
P80	79.60	5.70
M	80.00	2.00
M	80.00	2.50
C92	80.00	2.65
M	80.00	3.00
M	80.00	3.50
C92	80.00	3.55
M	80.00	4.00
M	80.00	5.00
C92	80.00	5.30
M	80.00	6.00
M	80.00	8.00
A-339	81.92	5.33
B-42	81.92	5.33
R-42	81.92	5.33
A-415	81.92	6.99
M	82.00	3.00
M	82.00	4.00
M	82.00	5.00
A-236	82.14	3.53
A-152	82.22	2.62
A-042	82.27	1.78
C92	82.50	3.55
C92	82.50	5.30
M	83.00	3.50
M	84.00	2.00
M	84.00	3.50
M	84.00	4.00
V85	84.00	4.00
G85	84.40	3.10
S85	84.50	2.00
P85	84.60	5.70
M	85.00	2.00
M	85.00	2.50
C92	85.00	2.65

O型圈 O-Ring



代碼	內徑	線徑
M	85.00	3.00
C92	85.00	3.55
M	85.00	4.00
M	85.00	5.00
C92	85.00	5.30
A-340	85.09	5.33
B-43	85.09	5.33
R-43	85.09	5.33
A-416	85.09	6.99
A-237	85.32	3.53
M	86.00	2.00
M	86.00	3.00
M	86.00	4.00
M	86.00	5.00
C92	87.50	3.55
C92	87.50	5.30
M	88.00	3.00
M	88.00	4.00
M	88.00	5.00
M	88.00	6.00
A-341	88.27	5.33
B-44	88.27	5.33
R-44	88.27	5.33
A-417	88.27	6.99
A-238	88.49	3.53
A-153	88.57	2.62
A-043	88.62	1.78
M	89.00	4.50
G90	89.40	3.10
S90	89.50	2.00
P90	89.60	5.70
M	90.00	2.00
M	90.00	2.50
C92	90.00	2.65
M	90.00	3.00
C92	90.00	3.55
M	90.00	4.00
M	90.00	5.00
C92	90.00	5.30
M	90.00	7.00

代碼	內徑	線徑
A-342	91.44	5.33
B-45	91.44	5.33
R-45	91.44	5.33
A-418	91.44	6.99
A-239	91.67	3.53
M	92.00	3.00
M	92.00	4.00
M	92.00	5.00
C92	92.50	3.55
C92	92.50	5.30
M	93.00	3.00
M	93.00	6.50
M	94.00	2.50
M	94.00	3.00
M	94.00	4.00
G95	94.40	3.10
S95	94.50	2.00
P95	94.60	5.70
A-343	94.62	5.33
B-46	94.62	5.33
R-46	94.62	5.33
A-419	94.62	6.99
A-240	94.84	3.53
A-154	94.92	2.62
A-044	94.97	1.78
M	95.00	2.00
M	95.00	2.50
C92	95.00	2.65
M	95.00	3.00
C92	95.00	3.55
M	95.00	4.00
M	95.00	4.50
M	95.00	5.00
C92	95.00	5.30
M	95.00	6.00
M	96.00	3.00
M	96.00	4.00
M	97.00	5.00
C92	97.50	3.55
C92	97.50	5.30

代碼	內徑	線徑
A-344	97.79	5.33
B-47	97.79	5.33
R-47	97.79	5.33
A-420	97.79	6.99
M	98.00	3.00
M	98.00	4.00
A-241	98.02	3.53
V100	99.00	4.00
G100	99.40	3.10
S100	99.50	2.00
P100	99.60	5.70
內徑100mm以上		
M	100.00	1.00
M	100.00	1.50
M	100.00	2.00
C92	100.00	2.65
M	100.00	3.00
C92	100.00	3.55
M	100.00	4.00
M	100.00	5.00
C92	100.00	5.30
M	100.00	6.00
M	100.00	7.00
M	100.00	8.00
A-345	100.96	5.33
B-48	100.96	5.33
R-48	100.96	5.33
A-421	100.96	6.99
M	101.00	3.00
M	101.00	4.50
A-242	101.19	3.53
A-155	101.27	2.62
A-045	101.32	1.78
M	101.50	3.00
P102	101.60	5.70
M	102.00	3.00
M	102.00	4.00
C92	103.00	3.55
C92	103.00	5.30

代碼	內徑	線徑
M	103.00	6.00
M	104.00	3.00
M	104.00	4.00
M	104.00	5.00
M	104.00	6.00
A-346	104.14	5.33
B-49	104.14	5.33
R-49	104.14	5.33
A-422	104.14	6.99
A-243	104.37	3.53
G105	104.40	3.10
S105	104.50	2.00
M	104.50	3.00
P105	104.60	5.70
M	105.00	2.00
M	105.00	2.50
M	105.00	3.00
M	105.00	3.50
M	105.00	4.00
M	105.00	5.00
M	105.00	6.00
M	106.00	2.00
C92	106.00	2.65
M	106.00	3.00
C92	106.00	3.55
M	106.00	5.00
C92	106.00	5.30
M	106.00	7.00
M	107.00	2.50
M	107.00	5.00
A-347	107.32	5.33
B-50	107.32	5.33
R-50	107.32	5.33
A-423	107.32	6.99
A-244	107.54	3.53
A-156	107.62	2.62
A-046	107.67	1.78
M	108.00	3.00
M	108.00	4.00
M	108.00	5.00

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G.=日標 EKM=EK公制尺寸 R=法標R


代碼	內徑	線徑
M	108.00	6.00
M	108.00	8.00
C92	109.00	3.55
C92	109.00	5.30
C92	109.00	7.00
G110	109.40	3.10
S110	109.50	2.00
M	109.50	3.00
P110	109.60	5.70
M	110.00	2.00
M	110.00	3.00
M	110.00	3.50
M	110.00	4.00
M	110.00	4.50
M	110.00	5.00
M	110.00	6.00
M	110.00	7.00
M	110.00	8.00
A-348	110.49	5.33
B-51	110.49	5.33
R-51	110.49	5.33
A-424	110.49	6.99
A-245	110.72	3.53
D112	111.50	2.00
P112	111.60	5.70
C92	112.00	2.65
M	112.00	3.00
C92	112.00	3.55
M	112.00	4.00
M	112.00	5.00
C92	112.00	5.30
C92	112.00	7.00
M	112.00	8.00
A-349	113.67	5.33
B-52	113.67	5.33
R-52	113.67	5.33
A-425	113.67	6.99
R-53	113.67	6.99
A-246	113.89	3.53
A-157	113.97	2.62

代碼	內徑	線徑
M	114.00	3.00
M	114.00	4.00
M	114.00	6.00
M	114.00	7.00
M	114.00	8.00
A-047	114.02	1.78
G115	114.40	3.10
S115	114.50	2.00
P115	114.60	5.70
M	115.00	2.00
M	115.00	2.50
M	115.00	3.00
C92	115.00	3.55
M	115.00	4.00
M	115.00	4.50
M	115.00	5.00
C92	115.00	5.30
M	115.00	6.00
C92	115.00	7.00
M	116.00	3.00
M	116.00	4.00
A-350	116.84	5.33
A-426	116.84	6.99
B-53	116.84	6.99
R-54	116.84	6.99
M	117.00	4.00
M	117.00	7.00
A-247	117.07	3.53
M	118.00	2.00
C92	118.00	2.65
M	118.00	3.00
C92	118.00	3.55
M	118.00	4.00
M	118.00	4.50
M	118.00	5.00
C92	118.00	5.30
M	118.00	6.00
C92	118.00	7.00
M	119.00	3.00
V120	119.00	4.00

代碼	內徑	線徑
G120	119.40	3.10
S120	119.50	2.00
P120	119.60	5.70
M	120.00	2.00
M	120.00	2.50
M	120.00	3.00
M	120.00	3.50
M	120.00	4.00
M	120.00	4.50
M	120.00	5.00
M	120.00	6.00
A-351	120.02	5.33
A-427	120.02	6.99
B-54	120.02	6.99
R-55	120.02	6.99
A-248	120.24	3.53
A-158	120.32	2.62
A-048	120.37	1.78
M	121.00	5.00
M	122.00	3.00
C92	122.00	3.55
M	122.00	4.00
M	122.00	4.50
M	122.00	5.00
C92	122.00	5.30
M	122.00	6.00
C92	122.00	7.00
M	122.00	8.00
M	123.00	6.00
A-352	123.19	5.33
A-428	123.19	6.99
B-55	123.19	6.99
R-56	123.19	6.99
A-249	123.42	3.53
M	124.00	3.00
M	124.00	4.00
G125	124.40	3.10
S125	124.50	2.00
P125	124.60	5.70
M	125.00	2.00

代碼	內徑	線徑
M	125.00	2.50
C92	125.00	2.65
M	125.00	3.00
M	125.00	3.50
C92	125.00	3.55
M	125.00	4.00
M	125.00	5.00
C92	125.00	5.30
M	125.00	6.00
C92	125.00	7.00
M	126.00	4.00
M	126.00	4.50
A-353	126.37	5.33
A-429	126.37	6.99
B-56	126.37	6.99
R-57	126.37	6.99
A-250	126.59	3.53
A-159	126.67	2.62
A-049	126.72	1.78
M	127.00	4.00
M	128.00	2.00
M	128.00	2.50
M	128.00	3.00
C92	128.00	3.55
M	128.00	4.00
C92	128.00	5.30
M	128.00	6.00
C92	128.00	7.00
M	128.00	9.00
M	129.00	4.00
G130	129.40	3.10
S130	129.50	2.00
A-354	129.54	5.33
A-430	129.54	6.99
B-57	129.54	6.99
R-58	129.54	6.99
P130	129.60	5.70
A-251	129.77	3.53
M	130.00	2.00
M	130.00	2.50

O型圈 O-Ring



代碼	內徑	線徑
M	130.00	3.00
M	130.00	4.00
M	130.00	4.50
M	130.00	5.00
M	130.00	6.00
M	130.00	8.00
S132	131.50	2.00
P132	131.60	5.70
C92	132.00	2.65
M	132.00	3.00
C92	132.00	3.55
M	132.00	4.00
M	132.00	5.00
C92	132.00	5.30
C92	132.00	7.00
M	132.00	8.00
A-355	132.72	5.33
A-431	132.72	6.99
B-58	132.72	6.99
R-59	132.72	6.99
A-252	132.94	3.53
M	133.00	3.50
M	133.00	4.00
A-160	133.02	2.62
A-050	133.07	1.78
M	134.00	3.00
M	134.00	4.00
G135	134.40	3.10
S135	134.50	2.00
P135	134.60	5.70
M	135.00	2.50
M	135.00	3.00
M	135.00	3.50
M	135.00	4.00
M	135.00	5.00
M	135.00	6.00
A-356	135.89	5.33
A-432	135.89	6.99
B-59	135.89	6.99
R-60	135.89	6.99

代碼	內徑	線徑
M	136.00	3.50
C92	136.00	3.55
M	136.00	4.00
M	136.00	5.00
C92	136.00	5.30
C92	136.00	7.00
A-253	136.12	3.53
M	137.00	4.00
M	138.00	3.00
M	138.00	5.00
M	138.00	6.00
M	139.00	7.00
A-357	139.07	5.33
A-433	139.07	6.99
B-60	139.07	6.99
R-61	139.07	6.99
A-254	139.29	3.53
A-161	139.37	2.62
G140	139.40	3.10
S140	139.50	2.00
M	139.50	3.00
P140	139.60	5.70
M	140.00	2.00
M	140.00	2.50
C92	140.00	2.65
M	140.00	3.00
C92	140.00	3.55
M	140.00	4.00
M	140.00	5.00
C92	140.00	5.30
M	140.00	6.00
C92	140.00	7.00
M	140.00	8.00
M	142.00	3.00
M	142.00	4.00
M	142.00	6.00
A-358	142.24	5.33
A-434	142.24	6.99
B-61	142.24	6.99
R-62	142.24	6.99

代碼	內徑	線徑
A-255	142.47	3.53
M	143.00	2.00
M	144.00	3.00
M	144.00	4.00
M	144.00	5.00
G145	144.40	3.10
S145	144.50	2.00
P145	144.60	5.70
M	145.00	2.50
M	145.00	3.50
C92	145.00	3.55
M	145.00	4.00
M	145.00	5.00
C92	145.00	5.30
C92	145.00	7.00
M	145.00	8.00
A-359	145.42	5.33
A-435	145.42	6.99
B-62	145.42	6.99
R-63	145.42	6.99
A-256	145.64	3.53
A-162	145.72	2.62
M	146.00	3.00
M	146.00	4.00
M	148.00	6.00
V150	148.50	4.00
A-360	148.59	5.33
A-436	148.59	6.99
B-63	148.59	6.99
R-64	148.59	6.99
A-257	148.82	3.53
M	149.00	3.00
G150	149.30	5.70
S150	149.50	2.00
P150A	149.50	8.40
P150	149.60	5.70
內徑150mm以上		
M	150.00	2.00
M	150.00	2.50

代碼	內徑	線徑
C92	150.00	2.65
M	150.00	3.00
C92	150.00	3.55
M	150.00	4.00
M	150.00	4.50
M	150.00	5.00
C92	150.00	5.30
M	150.00	6.00
C92	150.00	7.00
M	150.00	8.00
A-361	151.77	5.33
A-437	151.77	6.99
B-64	151.77	6.99
R-65	151.77	6.99
A-258	151.99	3.53
M	152.00	5.00
M	152.00	7.00
A-163	152.07	2.62
M	153.00	3.00
M	153.00	6.00
M	154.00	3.00
G155	154.30	5.70
P155	154.50	8.40
M	155.00	3.00
C92	155.00	3.55
M	155.00	4.00
M	155.00	5.00
C92	155.00	5.30
C92	155.00	7.00
M	156.00	2.00
M	156.00	4.00
M	158.00	5.00
M	158.00	6.00
A-362	158.12	5.33
A-438	158.12	6.99
B-65	158.12	6.99
R-66	158.12	6.99
A-259	158.34	3.53
A-164	158.42	2.62
M	159.00	4.00

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G=日標 EKM=EK公制尺寸 R=法標R

代碼	內徑	線徑
G160	159.30	5.70
P160	159.50	8.40
M	160.00	2.00
M	160.00	2.50
C92	160.00	2.65
M	160.00	3.00
C92	160.00	3.55
M	160.00	4.00
M	160.00	4.50
M	160.00	5.00
C92	160.00	5.30
M	160.00	6.00
C92	160.00	7.00
M	160.00	8.00
M	164.00	3.00
M	164.00	4.00
G165	164.30	5.70
A-363	164.46	5.33
A-439	164.47	6.99
B-66	164.47	6.99
R-67	164.47	6.99
P165	164.50	8.40
A-260	164.69	3.53
A-165	164.77	2.62
M	165.00	2.00
M	165.00	3.50
C92	165.00	3.55
M	165.00	4.00
M	165.00	5.00
C92	165.00	5.30
C92	165.00	7.00
M	166.00	6.00
M	167.00	3.00
M	168.00	4.00
G170	169.30	5.70
P170	169.50	8.40
M	170.00	2.50
C92	170.00	2.65
M	170.00	3.00
M	170.00	3.50


代碼	內徑	線徑
C92	170.00	3.55
M	170.00	4.00
M	170.00	5.00
C92	170.00	5.30
M	170.00	6.00
C92	170.00	7.00
M	170.00	8.00
A-364	170.82	5.33
A-440	170.82	6.99
B-67	170.82	6.99
R-68	170.82	6.99
A-261	170.04	3.53
A-166	171.12	2.62
M	172.00	4.00
M	172.00	6.00
M	172.00	7.00
V175	173.00	4.00
M	174.00	3.00
G175	174.30	5.70
P175	174.50	8.40
C92	175.00	3.55
M	175.00	4.00
M	175.00	5.00
C92	175.00	5.30
M	175.00	6.00
C92	175.00	7.00
M	177.00	3.50
M	177.00	4.00
A-365	177.17	5.33
A-441	177.17	6.99
B-68	177.17	6.99
R-69	177.17	6.99
A-262	177.39	3.53
A-167	177.47	2.62
M	179.00	3.00
G180	179.30	5.70
P180	179.50	8.40
M	180.00	1.50
C92	180.00	2.65
M	180.00	3.00

代碼	內徑	線徑
M	180.00	3.50
C92	180.00	3.55
M	180.00	4.00
M	180.00	5.00
C92	180.00	5.30
M	180.00	6.00
C92	180.00	7.00
M	180.00	8.00
M	182.00	3.00
M	182.00	6.00
A-366	183.52	5.33
A-442	183.52	6.99
B-69	183.52	6.99
R-70	183.52	6.99
A-263	183.74	3.53
A-168	183.82	2.62
M	184.00	8.00
M	184.00	8.00
G185	184.00	8.00
P185	184.50	5.70
M	185.00	3.00
C92	185.00	3.55
M	185.00	4.00
M	185.00	4.50
M	185.00	5.00
C92	185.00	5.30
M	185.00	6.00
C92	185.00	7.00
M	186.00	3.50
M	186.00	7.00
M	188.00	2.00
M	188.00	3.00
M	188.00	4.00
M	188.00	6.00
G190	189.30	5.70
P190	189.50	8.40
A-367	189.87	5.33
A-443	189.87	6.99
B-70	189.87	6.99
R-71	189.87	6.99

代碼	內徑	線徑
M	190.00	3.00
M	190.00	3.50
C92	190.00	3.55
M	190.00	4.00
M	190.00	5.00
C92	190.00	5.30
M	190.00	6.00
C92	190.00	7.00
M	190.00	7.00
M	190.00	8.00
A-264	190.10	3.53
A-169	190.17	2.62
M	192.00	2.00
M	192.00	3.00
M	192.00	4.00
M	193.00	6.00
M	194.00	2.00
M	194.00	3.00
G195	194.30	5.70
P195	194.50	8.40
M	195.00	2.50
M	195.00	3.00
M	195.00	4.00
C92	195.00	3.55
M	195.00	4.00
M	195.00	5.00
C92	195.00	5.30
M	195.00	6.00
C92	195.00	7.00
A-368	196.22	5.33
A-444	196.22	6.99
B-71	196.22	6.99
R-72	196.22	6.99
A-265	196.44	3.53
A-170	196.52	2.62
M	198.00	4.00
G200	199.30	5.70
P200	199.50	8.40

內徑200mm以上

O型圈 O-Ring



代码	内径	线径
M	200.00	2.00
M	200.00	3.00
C92	200.00	3.55
M	200.00	3.55
M	200.00	4.00
M	200.00	5.00
C92	200.00	5.30
M	200.00	6.00
C92	200.00	7.00
M	202.00	3.50
M	202.00	5.50
A-369	202.57	5.33
A-445	202.57	6.99
B-72	202.57	6.99
R-73	202.57	6.99
A-266	202.79	3.53
A-171	202.87	2.62
M	203.00	3.00
M	204.00	4.00
M	204.00	6.00
P205	204.50	8.40
M	205.00	2.00
M	205.00	3.00
M	205.00	5.00
M	205.00	6.00
C92	206.00	7.00
M	208.00	6.00
M	208.00	8.00
P209	208.50	8.40
A-370	208.92	5.33
A-267	209.14	3.53
A-172	208.22	2.62
G210	209.30	5.70
P210	209.50	8.40
M	210.00	3.00
M	210.00	3.50
M	210.00	4.00
M	210.00	5.00
M	210.00	6.00
M	210.00	8.00

代码	内径	线径
M	212.00	4.00
C92	212.00	5.30
M	212.00	6.00
C92	212.00	7.00
P215	214.50	8.40
M	215.00	3.00
M	215.00	5.00
M	215.00	6.00
M	215.00	7.00
A-371	215.27	5.33
A-446	215.27	6.99
B-73	215.27	6.99
R-74	215.27	6.99
A-268	215.49	3.53
A-173	215.57	2.62
M	216.00	4.00
M	217.00	3.00
M	217.00	5.00
M	218.00	6.00
C92	218.00	7.00
G220	219.30	5.70
P220	219.50	8.40
M	220.00	3.0
M	220.00	4.00
M	220.00	5.00
M	220.00	6.00
A-372	221.62	5.33
A-269	221.84	3.53
A-174	221.92	2.62
M	222.00	4.00
V225	222.50	6.00
C92	224.00	5.30
C92	224.00	7.00
P225	224.50	8.40
M	225.00	3.00
M	225.00	4.00
M	225.00	5.00
M	225.00	8.00
A-373	227.97	5.33
A-447	227.97	6.99

代码	内径	线径
B-74	227.97	6.99
R-75	227.97	6.99
M	227.00	4.00
A-270	228.19	3.53
A-175	228.27	2.62
G230	229.30	5.70
P230	229.50	8.40
M	230.00	3.00
M	230.00	4.00
M	230.00	5.00
M	230.00	6.00
C92	230.00	7.00
M	230.00	8.00
M	233.00	3.00
A-374	234.32	5.33
P235	234.50	8.40
A-271	234.54	3.53
A-176	234.62	2.62
M	235.00	3.00
M	235.00	4.00
M	235.00	5.00
M	235.00	7.00
C92	236.00	5.30
C92	236.00	7.00
M	238.00	5.00
G240	239.30	5.70
P240	239.50	8.40
M	240.00	3.00
M	240.00	4.00
M	240.00	5.00
M	240.00	6.00
M	240.00	8.00
A-375	240.67	5.33
A-448	240.67	6.99
B-75	240.67	6.99
R-76	240.67	6.99
A-272	240.89	3.53
A-177	240.97	2.62
M	242.00	6.00
C92	243.00	7.00

代码	内径	线径
M	243.00	8.50
M	244.00	7.00
P245	244.50	8.40
M	245.00	3.00
M	245.00	5.00
M	246.00	4.00
M	247.00	7.00
A-376	247.02	5.33
A-273	247.24	3.53
A-178	247.32	2.62
M	248.00	5.00
G250	249.30	5.70
P250	249.50	8.40
内径250mm以上		
M	250.00	3.00
M	250.00	4.00
M	250.00	5.00
C92	250.00	5.30
M	250.00	6.00
C92	250.00	7.00
M	250.00	7.00
M	250.00	8.00
A-377	253.37	6.99
A-449	253.37	6.99
B-76	253.37	6.99
R-77	253.37	6.99
A-274	253.59	3.53
P255	253.50	8.40
M	255.00	4.00
M	255.00	5.00
C92	258.00	7.00
G260	259.30	5.70
P260	259.50	8.40
M	260.00	2.50
M	260.00	3.00
M	260.00	4.00
M	260.00	5.00
M	260.00	6.00
M	260.00	7.00

A=美標AS568 B=英標BS1516 C=中國C92標
V.S.P.G.=日標 EKM=EK公制尺寸 R=法標R


代碼	內徑	綫徑
M	260.00	8.00
M	262.00	6.00
R-265	264.50	8.40
M	265.00	3.00
M	265.00	4.00
M	265.00	8.00
C92	265.00	5.30
M	265.00	6.00
C92	265.00	7.00
M	265.0	8.00
A-378	266.07	5.33
A-450	266.07	6.99
B-77	266.07	6.99
R-78	266.07	6.99
A-275	266.29	3.53
G270	269.30	5.70
P270	269.50	8.40
M	270.00	3.00
M	270.00	4.00
M	270.00	5.00
M	270.00	6.00
V275	272.00	6.00
C92	272.00	7.00
M	274.00	3.00
P275	274.50	8.40
M	275.00	4.00
M	275.00	5.00
A-379	278.77	5.33
A-451	278.77	6.99
B-78	278.77	6.99
R-79	278.77	6.99
A-276	278.99	3.53
G280	279.30	5.70
P280	279.50	8.40
M	280.00	3.00
M	280.00	4.00
M	280.00	5.00
C92	280.00	5.30
M	280.00	6.00
C92	280.00	7.00

代碼	內徑	綫徑
M	280.00	8.00
M	282.00	4.00
M	284.00	6.00
P285	284.00	8.40
M	285.00	3.00
M	285.00	4.00
G29	289.30	5.70
P29	289.50	8.40
M	290.00	3.00
M	290.00	5.00
M	290.00	6.00
C92	290.00	7.00
M	290.00	8.00
A-380	291.47	5.33
A-452	291.47	6.99
B-79	291.47	6.99
R-80	291.47	6.99
A-277	291.69	3.53
M	292.00	4.00
P295	294.50	8.40
M	295.00	6.00
M	297.00	4.00
G300	299.30	5.70
P300	299.50	8.40
內徑300mm以上		
M	300.00	3.00
M	300.00	5.00
C92	300.00	5.30
M	300.00	6.00
C92	300.00	7.00
A-381	304.17	5.33
A-453	304.17	6.99
B-80	304.17	6.99
R-81	304.17	6.99
A-278	304.39	3.53
M	305.00	4.00
M	305.00	5.00
C92	307.00	7.00
M	310.00	3.00

代碼	內徑	綫徑
M	310.00	4.00
M	310.00	5.00
M	314.00	8.00
P315	314.50	8.40
M	315.00	4.00
M	315.00	5.00
C92	315.00	5.30
M	315.00	6.00
C92	315.00	7.00
A-454	316.87	6.99
B81	316.87	6.99
B-87	316.87	6.99
R-82	316.87	6.99
P320	319.50	8.40
M	320.00	2.50
M	320.00	3.00
M	320.00	5.00
M	320.00	6.00
M	320.00	7.00
M	320.00	8.00
V325	321.50	6.00
M	325.00	5.00
M	325.00	6.00
C92	325.00	7.00
A-382	329.57	5.33
A-455	329.57	6.99
B-82	329.57	6.99
R-83	329.57	6.99
A-279	329.79	3.53
M	330.00	5.00
M	330.00	6.00
M	330.00	8.00
M	331.00	3.00
P335	334.50	8.40
C92	335.00	5.30
M	335.00	6.00
C92	335.00	7.00
P340	339.50	8.40
M	340.00	3.50
M	340.00	4.00

代碼	內徑	綫徑
M	340.00	5.00
M	340.00	6.00
M	342.00	8.00
A-456	342.27	6.99
B-83	342.27	6.99
R-84	342.27	6.99
M	345.00	5.00
C92	345.00	7.00
M	347.00	9.00
M	350.00	5.00
P355	354.50	8.40
A-383	354.97	6.99
A-457	354.97	6.99
B-84	354.97	6.99
R-85	354.99	6.99
M	355.00	4.00
M	355.00	5.00
C92	355.00	5.30
M	355.00	6.00
C92	355.00	7.00
A-280	355.19	3.53
P360	359.50	8.40
M	360.00	4.00
M	360.00	8.00
C92	365.00	7.00
M	367.00	3.50
M	367.00	5.00
A-458	367.67	6.99
B-85	367.67	6.99
R-86	367.67	6.99
M	368.00	6.00
M	370.00	4.00
M	370.00	5.00
M	371.00	8.50
M	374.00	8.00
P375	374.50	8.40
M	375.00	5.00
C92	375.00	5.30
C92	375.00	7.00
M	376.00	6.00

O型圈 O-Ring



代碼	內徑	綫徑
V380	376.00	6.00
M	380.00	3.00
M	380.00	4.00
M	380.00	8.00
A-384	380.00	5.33
A-459	380.37	6.99
B-86	380.37	6.99
R-87	380.37	6.99
A-281	380.59	3.53
P385	384.50	8.40
M	385.00	5.00
M	386.00	6.00
C92	387.00	7.00
M	390.00	4.00
M	390.00	9.00
A-460	393.07	6.99
B-87	393.07	6.99
R-88	393.07	6.99
M	395.00	5.00
P400	399.50	8.40

內徑400mm以上

M	400.00	4.00
M	400.00	5.00
C92	400.00	5.30
C92	400.00	7.00
M	400.00	8.00
A-282	405.26	3.53
A-385	405.26	5.33
A-461	405.26	6.99
M	410.00	4.00
M	410.00	8.00
C92	412.00	7.00
M	412.00	8.00
M	415.00	5.00
A-462	417.96	6.99
B-88	417.96	6.99
M	420.00	4.00
M	420.00	5.00
M	425.00	4.00

代碼	內徑	綫徑
C92	425.00	7.00
M	425.00	8.00
V430	425.50	6.00
M	429.00	6.00
A-283	430.66	5.53
A-386	430.66	5.33
A-463	430.66	6.99
C92	437.00	7.00
M	440.00	4.00
A-464	443.36	6.99
M	444.00	8.00
M	448.00	6.00
M	450.00	5.00
C92	450.00	7.00
A-284	456.06	3.53
A-387	456.06	5.33
A-465	456.06	6.99
M	460.00	4.00
M	460.00	5.00
M	460.00	8.00
c92	462.00	7.00
A-466	468.76	6.99
M	470.00	4.00
M	470.00	6.00
M	475.00	5.00
C92	475.00	7.00
V480	475.60	10.00
M	480.00	6.00
A-388	481.46	5.33
A-467	481.46	6.99
C92	487.00	7.00
M	490.00	5.00
M	490.00	8.00
M	492.00	4.00
A-468	494.16	6.99

內徑500mm以上

C92	500.00	7.00
A-389	506.86	5.33
A-469	506.86	6.99

代碼	內徑	綫徑
C9	515.00	7.00
V530	524.50	10.00
C92	530.00	7.00
A-390	532.26	5.33
A-470	532.26	6.99
C92	545.00	7.00
A-391	557.66	5.33
A-471	557.66	6.99
C92	560.00	7.00
V585	579.00	10.00
C92	580.00	7.00
A-392	582.68	5.33
A-472	582.68	6.99

內徑600mm以上

C92	600.00	7.00
A-393	608.08	5.33
A-473	608.08	6.99

代碼	內徑	綫徑
C92	615.00	7.00
C92	630.00	7.00
A-394	633.48	5.33
A-474	633.48	6.99
V640	633.50	10.00
C92	650.00	7.00
A-395	658.88	5.33
A-475	658.88	6.99
C92	670.00	7.00
V690	683.00	10.00

內徑700mm以上

V740	732.50	10.00
V790	782.00	10.00
V845	836.50	10.00
V950	940.50	10.00
V1055	1044.00	10.00